App. No: 09/272,809

Page 9

APPENDIX B

CLAIMS PENDING IN USSN 09/272,809 WITH ENTRY OF THIS AMENDMENT

- 1. A composition comprising an apoprotein polypeptide of between about 190 amino acids and about 400 amino acids, which apoprotein polypeptide comprises a lyase domain.
- 2. The composition of claim 1, wherein the apoprotein polypeptide is selected from the group consisting of a plant apoprotein, an algal apoprotein, and a cyanobacterial apoprotein.
- 3. The composition of claim 1, wherein the apoprotein polypeptide consists of about 390 amino acids.
- 4. The composition of claim 1, wherein the apoprotein polypeptide consists of about 200 amino acids.
- 5. The composition of claim 4, wherein the appropriate is as shown in SEQ ID NO: 9.
- 6. The composition of claim 1, wherein the apoprotein [protein]polypeptide consists of a lyase domain.
- 7. The composition of claim 1, wherein the apoprotein polypeptide is from Synechocystis.
- 8. The composition of claim 7, wherein the apoprotein polypeptide has the amino acid sequence of SEQ ID NO:2 (Cph2).
- 9. The composition of claim 1, wherein the apoprotein is covalently linked to a bilin to form a fluorescent adduct.
 - 10. The composition of claim 9, wherein the bilin is a tetrapyrrole.
 - 11. The composition of claim 10, wherein the bilin is phycoerythrobilin.

App. No: 09/272,809

Page 10

12. The composition of claim 9, wherein the fluorescent adduct is linked to a biomolecule.

- 13. The composition of claim 12, wherein the biomolecule is selected from the group consisting of a protein, a carbohydrate, a lipid, and a nucleic acid.
 - 14. The composition of claim 13, wherein the biomolecule is a nucleic acid.
 - 15. The composition of claim 13, wherein the biomolecule is a protein.
 - 16. The composition of claim 15, wherein the protein is an antibody.
- 17. A method of detecting the presence of a biomolecule in a sample, the method comprising:

providing a sample comprising a biomolecule linked to a fluorescent adduct consisting of a bilin and an apoprotein of between about 190 amino acids and about 400 amino acids, which apoprotein polypeptide comprises a lyase domain;

contacting the sample with light which causes the fluorescent adduct to emit light; detecting the emitted light, thereby detecting the presence of the biomolecule.

- 18. The method of claim 17, wherein the step of contacting the sample with light includes contacting the sample with light having a wavelength of about 570 nm.
- 19. The method of claim 17, wherein the step of detecting the emitted light includes detecting light having a wavelength of about 590 nm.
- 20. The method of claim 17, wherein the apoprotein polypeptide is selected from the group consisting of a plant apoprotein, an algal apoprotein, and a cyanobacterial apoprotein.
- 21. The method of claim 17, wherein the apoprotein polypeptide consists of a lyase domain.

App. No: 09/272,809

Page 11

22. The method of claim 17, wherein the apoprotein polypeptide consists of about 390 amino acids.

- 23. The method of claim 17, wherein the apoprotein polypeptide consists of about 200 amino acids.
 - 24. The method of claim 23, wherein the appropriation is a shown in SEQ ID NO: 9.
- 25. The method of claim 17, wherein the apoprotein polypeptide is from Synechocystis sp.
 - 26. The method of claim 25, wherein the apoprotein polypeptide is Cph2.
 - 27. The method of claim 17, wherein the bilin is a tetrapyrrole.
 - 28. The method of claim 27, wherein the bilin is phycoerythrobilin.
- 29. The method of claim 17, wherein the biomolecule is selected from the group consisting of a protein, a carbohydrate, a lipid, and a nucleic acid.
 - 30. The method of claim 29, wherein the biomolecule is a nucleic acid.
 - 31. The method of claim 29, wherein the biomolecule is a protein.
 - 32. The method of claim 31, wherein the protein is an antibody.